

RCB

LASCON



This attractive recessed luminaire creates a subtle lighting effect utilising a UV resistant reflector system and perforated basket, which allows a combination of indirect and direct lighting. The RCB is available with compact fluorescent lamps or T5 16mm fluorescent lamps



RCB-224-ELB

- Lamp is totally masked
- Special UV resistant matt polyester paint finish on reflector and basket
- Low contrast between controller and reflector.
- Harmonious lighting for horizontal and vertical tasks
- New generation concept for the office of the future

RCB: Unlike direct lighting systems that produce wide variation in contrast rendering factor depending on luminaire position with respect to task, the RCB has a neutral cosine distribution in all planes (a slow rate of change in the polar curve) that produces good contrast rendition irrespective of workstation



BODY – Cold rolled mild steel with white epoxy powder coated finish

LAMP HOLDERS – Bi-pin, rota-lock lamp holders for use with T5 16mm diameter fluorescent lamps and 2G11 lamp holders for use with 55W compact fluorescent lamps

BASKET – Perforated cold rolled mild steel with UV resistant white polyester powder coated finish. Plastic end caps. Duriflex high transmission film completes the masking effect

REFLECTOR– Cold rolled mild steel with UV resistant white polyester powder coated finish

RCB

LASCON

230V

IP
20LAMP NOT
INCLUDED

ECG

EMG
OPTIONDIM
OPTIONENERGY
SAVING
LUMINAIRE

PRODUCT CODE	Watts	L	W	H	Kg
RCB-255-ELB	2 x 55W CFL	598mm	598mm	94mm	4,6
RCB-224-ELB	2 x 24W T5	598mm	598mm	94mm	6,2
RCB-254-ELB	2 x 54W T5	1195mm	598mm	95mm	5,6

Options: add suffix to product code

.../DIM Dimmable Ballast

.../EMG Emergency Mode

RCB

LASCON

PHOTOMETRIC DATA



RCB-254-ELB

